



Driver And Passenger Seats For Bus RV Modified Car Seat

Our Product Introduction

for more products please visit us on vehicle-seats.com

Basic Information

- Place of Origin: Shaanxi China
- Brand Name: Botai
- Certification: ISO9001:2015
- Model Number: B804-01
- Minimum Order Quantity: 1 Set
- Packaging Details: Carton
- Delivery Time: 10-15 days
- Payment Terms: T/T
- Supply Ability: 100Set Per Week



Product Specification

- Product Name: Driver And Passenger Seats For Bus RV Modified Car Seat
- Product Model: B804-01
- Product Size: 980*500*1150mm
- Product Material: Fabric
- Product Color: Gray
- The Back Elevation Angle Is 40-170° Adjustable:
- Product Features: Comfortable Seat
- Port: Guangzhou/Shanghai/Qingdao
- Highlight: **driver and passenger seats, Passenger Seats For Bus, RV Modified Car Seat**

Product Description


Driver And Passenger Seats For Bus RV Modified Car Seat Details

Product Name	Driver And Passenger Seats For Bus RV Modified Car Seat
Place of Origin	Shaanxi China
Product Model	B804-01
Scope Of Application	Universal
Product Size	980*500*1150mm
Product Material	Composite Fabric
Product Color	Gray
Single Backrest Width	420*730mm
Single Cushion Width	420*450*430mm
Adjustable Backrest Elevation	40-170°
Bottom Connecting Hole Spacing	customized
MOQ	1 Set

Driver And Passenger Seats For Bus RV Modified Car Seat Product Technology Control

1. After the seat is assembled, the slide adjustment, and headrest adjustment should be flexible and reliable, without interference.
2. The outer fabric of the seat should be firmly stitched, the stitching part should not allow the cable head to be exposed, the seam off line and jumper phenomenon, the surface of the seat after assembly should be full and clean, without deformation, discoloration, wrinkling, external leakage, decolorization, stains, damage and scratches.
3. The frame and the leakage parts should be treated with rust prevention, in line with the factory requirements, and electroplating and chemical treatment should be in line with the factory
4. Each connection of the seat should be firmly connected and reliable. Each welding component shall not have welding dislocation, welding, welding and other defects.
5. The safety of the seat should meet the requirements of GB/T15083-2006.

Driver And Passenger Seats For Bus RV Modified Car Seat Function Show





15319910265



41318225@qq.com



vehicle-seats.com

140 meters west of intersection of Sunwu Road and Lane 4, Zhongjie, Weiyang District, Xi 'an, Shaanxi, China