# Air Suspension Seats Modifiable Vehicle Seat With 360° Rotation Safety Belt

## **Basic Information**

Place of Origin:
 Shaanxi China

Brand Name: Botai
Certification: ISO9001
Model Number: A800-23
Minimum Order Quantity: 1 set

Packaging Details:
 6-8 Cartons Packed To A pallet

Delivery Time: 10-15daysPayment Terms: T/T

Supply Ability: 100Sets Per Week



## **Product Specification**

• Name: Air Suspension Seats Modifiable Vehicle

Seat With 360° Rotation Safety Belt

Material: PU/ Leather/FabricSize: 570\*570\*1180mm

Color: Black
Product Model: A800-23
Cushion Size: 480\*470\*400mm

• Highlight: Air Suspension Modifiable Vehicle Seat,

360° Rotation Air Suspension Seats, Safety Belt Air Suspension Seats

# Air Suspension Seats Modifiable Vehicle Seat With 360° Rotation Safety Belt

Product Name	Air Suspension Seats Modifiable Vehicle Seat With 360° Rotation Safety Belt
Place of Origin	Shaanxi China
Product Model	A800-23
Product Material	PU/ Leather/Fabric
Product Color	Black
Backrest Size	480*630mm
Cushion Size	480*470*410-470mm
Adjustable Backrest Elevation	40-170°
High-low Adjustment	60mm
Horizontal adjustment	Front105mm, Rear 120mm
MOQ	1 Set

#### Air Suspension Seats Modifiable Vehicle Seat Size:



## Air Suspension Seats Modifiable Vehicle Seat Customizable:

- 1: Seat surface can be choose: PU leather, Fabric, Leather Etc.,
- 2: Fabric color and style Can be customized.
- 3: Optional accessories: headrest, armrest, safety belt (2, 3 or 4 point type), high seat box, front and rear horizontal adjustment rail, height adjustment, ventilation or heating function, etc., the price according to the option.
- 4: The general hole distance is commonly used: 216/240/260mm \* 280/295.5mm before and after , or customized .
- 5: Seat adjustment function plastic handle position can be choose: left, right,or front
- 6: Mechanical weight adjustment position can be selected: left, right, or front
- 7. Backrest size can be choose 530/630mm

#### **Features**

The seat is suitable for mine trucks and port terminal heavy trucks , the seat uses air pump suspension shock absorption function, power supply: 24V, pump power greater than 55 KW, current less than or equal to 5A, air pressure:  $0\sim0.8$ Mpa.



15319910265



140 meters west of intersection of Sunwu Road and Lane 4, Zhongjie, Weiyang District, Xi 'an, Shaanxi, China