



## Mechanical Driver Seats Suspension Seating Suitable For Engineering Mechanical Vehicles

Our Product Introduction

### Basic Information

- Place of Origin: Shaanxi China
- Brand Name: Botai
- Certification: ISO9001
- Model Number: M801-46
- Minimum Order Quantity: 1 set
- Packaging Details: 6-8 Cartons Packed To A pallet
- Delivery Time: 10-15days
- Payment Terms: T/T
- Supply Ability: 100Sets Per Week



### Product Specification

- Name: Mechanical Driver Seats Suspension Seating Suitable For Engineering Mechanical Vehicles
- Material: Pu
- Color: Black Or As Your Required
- Head Restraint Adjustment: 3 Gears Adjustable, 25mm For Each Gear
- Product Size: 1 Set
- Model Number: M801-46
- Highlight: **Mechanical Driver Seats Suspension Seating, Engineering Mechanical Vehicles Suspension Seating**

for more products please visit us on [vehicle-seats.com](http://vehicle-seats.com)

## Product Description

### Mechanical Driver Seats Suspension Seating Suitable For Engineering Mechanical Vehicles Details

Product Name	Mechanical Driver Seats Suspension Seating Suitable For Engineering Mechanical Vehicles
Place of Origin	Shaanxi China
Product Model	M801-46
Product Size	570*570*1220-1280mm
Product Material	PU/ Leather/Fabric
Product Color	Black/Customized
Backrest size	480*630mm
Cushion size	480*470*370-430mm
Adjustable Backrest Elevation	3 gears adjustable, 25mm for each gear
Horizontal adjustment	Front 105mm, Rear 120mm 23 adjustable
Weight Adjustment	40-130kg
Bottom Connecting Hole Spacing	Left And Right 216mm* Front And Rear 295.5mm

### Mechanical Driver Seats Suspension Seating Suitable For Engineering Mechanical Vehicles Customizable

- 1: Seat cover can be choose: PU leather, Fabric, Leather Etc.,
- 2: Seat color and style Can be customized.
- 3: Optional accessories: headrest, armrest, safety belt (2, 3 or 4 point type), high seat box, front and rear horizontal adjustment rail, height adjustment , ventilation or heating function, etc., the price according to the option.
- 4: The general hole distance is commonly used: 216/240/260mm \* 280/295.5mm before and after , or customized .
- 5: Seat adjustment function plastic handle position can be choose : left, right,or front
- 6: Mechanical weight adjustment position can be selected: left, right,or front
- 7.Backrest size can be choose 530/630mm

### Mechanical Driver Seats Suspension Seating Suitable For Engineering Mechanical Vehicles Function Show





**Shaanxi Botai Automobile Accessories Co.,Ltd.**



15319910265



41318225@qq.com



vehicle-seats.com

140 meters west of intersection of Sunwu Road and Lane 4, Zhongjie, Weiyang District, Xi 'an, Shaanxi, China